



HI-TECH FLAMEPROOF CONTROLS



FACTORY:

GALA NO.1, OPP. MOHAN PALMS
MOHAN RAUT CHOWK, SHIRGAON,
BADLAPUR (E) THANE-421503
(MAHARASHTRA)

SALE OFFICE:

PLOT. NO. 162, SURYA VIHAR , PART-II
NEAR GOLDEN INDIA PUBLIC SCHOOL
FARIDABAD-121003 (HARYANA)

GST. NO. 06CFUPA8877A1Z6

E-MAIL: hitechflameproof@gmail.com

MOB.NO. 8743850766

**Complete Range of Flameproof - Weatherproof Electricals Control gears and Light Fitting As Well
glass, fluorescent fixture, clean Room fitting, Exhaust Fan, Cable Glands, Accessories all Type**

FLAMEPROOF / WETHERPROOF FAN

We introduce our new model SI 1002 of Explosion proof fan. Considering the demand of our customers with following special fetures:-

1. Light Weight
2. Die Cast Light Metel Motor Housing
3. Easy Installation
4. Fins on the motor body for better Heat Dissipation.
5. Approved by CIMFR (Dhanbad) as per latest standard.

Technical Details :- SI 1002

ENCLOSURE:-

EX-d GAS GROUP IIA, IIB, AS PER LATEST STANDARD IS/IEC 60079-1:2007

PROTECTION:-

IP-66

AREA CLASSIFICATION :-

ZONE 1 & 2

SURFACE TEMP. CLASSIFICATION

T6

FLP EXHAUST FAN

S.R. NO.	SIZE INCH	MM	CFM	H.P.	PHASE	VOLT	HZ	WEIGHTS IN KGS (APPR.)
1	12"	305	1250	0.25	1	230		10.500
2	12"	305	1250	0.25	3	415		10.500
3	16"	406	2500	0.33	1	230		12.000
4	16"	406	2500	0.33	3	415	50	12.000
5	18"	457	4000	0.50	1	230		17.000
6	18"	457	4000	0.50	3	415		17.000
7	24"	610	6100	0.50	1	230		21.500
8	24"	610	6100	0.50	3	415		21.500



FLP WALL MOUNTING

S.R. NO.	SIZE INCH	MM	H.P.	PHASE	VOLT	HZ	WEIGHTS IN KGS (APPR.)
1	18"	457	0.33	1	230		20.700
2	18"	457	0.33	3	415		20.700
3	24"	610	0.50	1	230		22.800
4	24"	610	0.50	3	415	50	22.800
5	30"	800	0.75	1	230		25.500
6	30"	800	0.75	3	415		25.500



FLP PADESTAL FAN

S.R. NO.	SIZE INCH	MM	H.P.	PHASE	VOLT	HZ	WEIGHTS IN KGS (APPR.)
1	18"	457	0.33	1	230		32.000
2	18"	457	0.33	3	415		32.000
3	24"	610	0.50	1	230		34.100
4	24"	610	0.50	3	415	50	34.100
5	30"	800	0.75	1	230		36.800
6	30"	800	0.75	3	415		36.800





INNOVA CLEANING MACHINE

MADE IN INDIA

HEAVY DUTY INDUSTRIAL VACUUMS ICM 3-100 T / ICM 5-100 T / ICM 7.5-100 T



- * Based on "Turbine Blower"
- * Cartridge filter with filter media from toray Japan
- * Filtration 99.9% of down to 1 micron particle size and 83% capturing efficiency down to 0.1 micron particle size.
- * On board compressor with reservoir & differential pressure switch for automatic on / off
- * Automatic cleaning of filter- reverse pulse jet cleaning controlled with help of micro-processor based sequential controller & solenoid valves
- * 3 Phases induction motor based turbine blower- rated for continuous 24 hours use
- * Cyclone effect pre-filter ensures filter doesn't choke

OPTIONAL ACCESSORIES

- * HEPA Filter for ultra fine dust / power
- * Wet interceptor for liquid pick up
- * Bulk interceptor for separation of heavier items
- * Larger tank size with possibility of continuous disposal
- * Hose of different material type - PVC, PU, braided etc.
- * Larger diameter hose for large item pick up
- * Flame-proof Motor & Electricals parts
- * Stainless steel contact surface for food industry / Pharmaceutical industry
- * Secondary cartridge filter & HEPA Filter
- * Centralized systems available
- * Various types of custom nozzles

TECHNICAL SPECIFICATIONS

MODEL	ICM 3 = 100 T	ICM 5 = 100 T	ICM 7.5 = 100 T
POWER (HP)	3	5	7.5
SUCTION (MM W/C)	3000	3200	4100
AIR FLOW (M / HR)	200	510	300
CONTAINER CAPACITY	100	100	100

INNOVA CLEANING MACHINE

PLOT NO.37, GALI NO. 7 , SURYA VIHAR PART-II

NEAR D N MEMORIAL PUBLIC SCHOOL

SEHATPUR , FARIDABAD- 121003(HARYANA)

MOB. NO. 9891950766 / 8743850766

E-MAIL ; innovamachine@gmail.com





INNOVA CLEANING MACHINE

HEAVY DUTY INDUSTRIAL VACUUM ICM / ICM-S



- * 3 Phase Induction Motor Run
- * Foot - Operated " Life & Lock Mechanism"
- * Cyclone Effect Pre- Filter" Ensures Filter Donot Chock
- * Cam Operated Filter Shaker

OPTIONAL

- * Programmable Motorized Auto Filter- Shaker
- * On Board Air Compressor for Filter Cleaning
- * Flame-Proof Motor & Electricals
- * Bulk Separator
- * Wet Separator
- * Secondary Cartridge Filter & HEPA Filter
- * Centralized Systems Available
- * Varipus Types of Custom Nozzles
- * Tank Size Also Available in 100 Ltrs.

TECHNICAL SPECIFICATIONS

Model	ICM 3	ICM 5	ICM 3 S	ICM 5 S	ICM 7.5 S	ICM 10 S
Power (HP)	3	5	3	5	7.5	10
Suction (mm WC)	3000	4500	3000	4500	4100	4600
Air Flow (M/hr.)	200	250	200	250	300	400
Container Capacity Ltrs.	50	50	100	100	100	100
Dimensions (L x W x H) mm	500x550x1530	600x600x1600	1150x650x1530	1150x650x1530	1150x650x1530	1150x650x1530

INNOVA CLEANING MACHINE

**PLOT NO.37, GALI NO. 7 , SURYA VIHAR PART-II
NEAR D N MEMORIAL PUBLIC SCHOOL
SEHATPUR , FARIDABAD- 121003(HARYANA)
MOB. NO. 9891950766 / 8743850766
E-MAIL ; innovamachine@gmail.com**





INNOVA CLEANING MACHINE

GST NO 06AIQPA4356D1ZH
Pan NO. AIQPA4356D

PLOT NO. 37, GALI NO. 7, SURYA VIHAR PART-II,
NEAR D N MEMORIAL PUBLIC SCHOOL
FARIDABAD- 121003 (HARYANA)
MOB. NO. 91+9891950766 , e-mail; innovamachine@gmail.com
Web ; <http://www.indiamart.com/innovacleaningmachine/>

Complete Solution for Professional and Industrial Cleaning Application

Vacuum Cleaner/Vacuum Sweeper/Floor Sweeper/Back Pack Vacuum Cleaner /Floor Scrubber / Auto Scrubber Driers

Respect Sir

Regarding offer for Industrial Heavy Duty Wet & Dry Vacuum Cleaning Machine Techno-commercial details for the same given below:

INDUSTRIAL FLOOR VACUUM CLEANER ; <https://youtu.be/xgJcgVs8nLM> :

Technical Specifications & Price for 40 Ltr. BAG

Technical Details		Picture
Parameters	Specifications	
Model	ICM-1200	
Motor Power	3HP , 415-440 V, 50-60Hz	
Moter	3 PHASE , 2 HP SINGLE PHASE	
Cooling	FAN	
Sweeping Path mm.	750 suction Nozzle	
Air flow	120 L/S	
Tank capacity	40 Ltr. Bag Cloth	
Sound Pressure	63 db (A)	
Vacuum Suction Area	30,000Sq.Ft/Hr.	
PRICE @	ASK PRICE BY WHATAPP NO. 9891950766 AND M.ID innovamachine@gmail.com And call to us 91-9891950766	

Terms & Conditions

Price Basis	: Ex-works, Faridabad ;
Payment	: 50% advance with PO 50% Against Invoice Performa .
Sales Tax	: GST 18 % Extra
Delivery	: Within 10.15 DAY from the date of receipt techno commercial Purchase orders with Payment.

Please find catalogue for above Product for your valued perusal and reference.

We trust you will find our offer inline with your requirements and do look forward to your valued order.

Thanking You

For INNOVA CLEANING MACHINE.

MAHESH ARYA

+91-9891950766

Vacuum Cleaners

The Complete Vacuum Range for Heavy Duty Industrial & Commercial Use



Technical Specification	WHISPER	VC - 15	VC - 30	VC - 60	BACK PACK
Motor	230 V/1250W	230 V/1000W	230 V/1000W	230V/2000W	220V/1350W
Suction mm H ₂ O	2700	1800	2200	2250	1800W
Air Flow M3/ hr.	200	140	170	380	250m
Tank Capacity	10 Ltr.	15 Ltr.	30 Ltr.	60 Ltr.	5Ltr.
Noise Level	55 Db	55 Db	55 Db	55 Db	55 Db
Power Cord	7.5 Mtrs.	7.5 Mtr.	7.5 Mtr.	15 Mtr.	5 Mtr.

Special Range



Technical Specification	Foam Generator	Carpet Blower	Steam Cleaner	Upholstry	High Pressure
Motor	230V/500W	230/900W	230/1500W	230/1000W	230v
Temperature./Bar		45°	135°/3bar	245bar	100/130bar
Air Flow M3/ hr.	3m2/hr	H/M/L		53 L/S	600L/hr.
Tank Capacity	5 Ltr.		1.5 Ltr.	40/7 Ltr.	
Dimension	26x30x53				360x240x235
Weight	8 kg.	16.6kg	2.5 kg.	246 kg.	23.5kg

Janitorial Range



INNOVA CLEANING MACHINE

Plot No 37, Gali No 7, Surya Vihar Part - II, Near D.N. M. Public School

Schatpur, Faridabad-121003 (Haryana) Mob. No +919891950766

e - mail : innovamachine@gmail.com

Mechanized Cleaning with Innovative Ideas



Hand Scrubber



Technical Specification	HS
Motor	230 V/550 watt
Brush Dia.	150mm
Brush Speed	1250 rpm
Weight	2 kgs. (approx.)

Manual Sweeper



Technical Specification	Hopper
Main brush	500mm
Total Sweep	700
Hopper capacity	40Ltr.
Dimension	79x76x46
Weight	25kg

Floor Scrubber / Polisher



Technical Specification	S. SHINE 1100	S. SHINE 1500	S. SHINE 1500
Motor	230 V/1100 watt	230 V/1500 watt	230 V/1500 watt
Rpm	154	160	1200
Diameter	432 mm (17")	432 mm (17")	450 mm
Pressure	40.3 g/cm ²	40.3 g/cm ²	45 kg.
Noise Level	54 db(a)	54 db(a)	54 db(a)
Tank capacity	8Ltr.	10Ltr.	10Ltr.
Area coverage	220m ² /h	220m ² /h	220m ² /h
Weight	35 Kg.	45 Kg.	47 Kg.

Floor Scrubber



Technical Specification	Standard	18 inch
Motor	0.75 hp, 230 V	2.0 hp, 230 V
Tank Capacity	10 liters	10 liters
Area Coverage	400 m ² /hr	525 m ² /hr
Weight	65 kgs	95 kgs
Dimensions (mm)	L-1450, W-620, H-1150	L-1670, W-770, H-1150

Scrubber Driers



Technical Specification	
Scrubbing Width	455 mm
Squeegee Width	770 mm
Brush Speed	154
Solution Tank	28 ltr.
Recovery Tank	32 ltr.
Scrubber/Vacuum	1100/750 watts
Power Cons.	230 volt
Area Coverage	1820 mt./hr.
Brush Pressure	30 kg.
Dimensions (mm)	108 x 78 x 68
Weight	78 kgs.